
PRELIMINARY AND FINAL SITE PLAN FOR:

TAYLOR & VOSE DEVELOPMENT


Block: 1006, Lots: 1,2,3,9,10,11,13,14


Village of South Orange. Essex County. New Jersey

July 7, 2020



PROJECT AREA





* THE CONTRACTOR SHALL CONTACT NJ ONE CALL AT 1-800-272-1000 PRIOR TO THE START OF CONSTRUCTION. ALL EXISTING UTILITIES SHALL BE MARKED OUT BY THE RESPECTIVE UTILITY COMPANIES PRIOR TO ANY EXCAVATION WORK.

INDEX OF SHEETS:

SHEET	DESCRIPTION
	COVER SHEET
L-001	NOTES, LEGEND & SCHEDULE
_ ~ .	, , , , , , , , , , , , , , , , , , ,
L-101	STREETSCAPE PLAN
L-102	STREETSCAPE LIGHTING PLAN
L-103	SECOND FLOOR COURTYARD PLAN
L-104	FIFTH FLOOR ROOF TERRACE PLAN
L-500	CONSTRUCTION DETAILS
L-501	CONSTRUCTION DETAILS
L-502	CONSTRUCTION DETAILS
L-503	CONSTRUCTION DETAILS

PREPARED BY:

Landscape Architect:



507 Bloomfield Avenue, 2nd Floor Montclair, New Jersey 07042 USA www.ArterialStreets.com Tel / Fax 973 320 9123 info@arterialstreets.com

PREPARED FOR:

VOSE AVE. APTS. URBAN RENEWAL, LLC. 447 Northfield Avenue, Suite 200 West Orange, NJ 07052

TAYLOR & VOSE DEVELOPMENT South Orange, NJ

PRELIMINARY AND FINAL SITE PLAN SUBMISSION

VOSE AVE. APTS. URBAN RENEWAL, L.L.C. 447 Northfield Avenue, Suite 200 West Orange, NJ 07052
Tel 973 731 2791

Landscape Architect



507 Bloomfield Ave., 2nd Floor Montclair, New Jersey 07042 USA COFA #MH000044

www.arterialstreets.com
Tel / Fax 973 320 9123
info@arterialstreets.com

NOT FOR CONSTRUCTION

No.	Date	Remarks
1	08/06/2020	Updated Preliminary & Final Site Plan Se
Sheet	Title:	
	C	OVER SHEET
1	\sim	

02-2020-130

1 of 10

- 1. THE INFORMATION SHOWN CONCERNING THE TYPE AND LOCATION OF UNDERGROUND AND OTHER UTILITIES IS NOT GUARANTEED TO BE ACCURATE OR ALL INCLUSIVE. THE CONTRACTOR IS RESPONSIBLE FOR MAKING THEIR OWN DETERMINATION AS TO THE TYPE AND LOCATION OF UNDERGROUND AND OTHER UTILITIES AS MAY BE NECESSARY TO AVOID DAMAGE THERETO.
- 2. THE CONTRACTOR SHALL CONTACT NJ ONE CALL AT 1-800-272-1000 PRIOR TO THE START OF CONSTRUCTION. ALL EXISTING UTILITIES SHALL BE MARKED OUT BY THE RESPECTIVE UTILITY COMPANIES PRIOR TO ANY EXCAVATION WORK.
- 3. ANY DAMAGE TO UTILITIES SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR. ALL COST FOR REPAIRS SHALL BE BORNE BY THE CONTRACTOR.
- 4. ALL CONSTRUCTION SHOWN HEREIN, UNLESS SPECIFICALLY NOTED OTHERWISE, SHALL BE IN ACCORDANCE WITH THE NEW JERSEY DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION 2007 AS AMENDED.
- 5. ALL PROPERTY CORNERS OR MONUMENTS REMOVED DURING CONSTRUCTION SHALL BE REPLACED BY A NEW JERSEY LICENSED LAND SURVEYOR AT NO ADDITIONAL COST TO THE OWNER.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE DISPOSAL OF THE EXCESS MATERIALS EXCAVATED OF WHATEVER NATURE AT THEIR OWN EXPENSE. THE OWNER IS NOT OBLIGATED TO SUPPLY A DISPOSAL SITE.
- 7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ARRANGING OF STORAGE AND STAGING AREAS AT NO ADDITIONAL COST TO THE OWNER.
- 8. APPROPRIATE CONSTRUCTION SIGNING SHALL BE INSTALLED FIVE (5) DAYS PRIOR TO THE START OF CONSTRUCTION. SIGNAGE SHALL BE MAINTAINED DURING CONSTRUCTION AND SHALL BE BAGGED DURING PERIODS OF INACTIVITY.
- 9. ALL UTILITY STRUCTURES (UTILITY BOXES, OIL FILL CAPS, WATER VALVES, GAS VALVES, BILLCO DOORS, ELECTRICAL VAULTS AND ANY OTHER APPURTENANCES) WITHIN THE PROPOSED SIDEWALK RECONSTRUCTION SHALL BE RESET TO CONFORM TO THE PROPOSED FINISHED GRADE.
- 10. CONTRACTOR IS RESPONSIBLE FOR SURVEYING AND STAKING THE PROPOSED CENTERLINE STATIONING AND ALL PROPOSED ELEMENTS AT NO ADDITIONAL COST TO THE OWNER. THE COST FOR THIS SHOULD BE BUILT INTO THE RELATED ITEMS.
- 11. CONTRACTOR'S FIELD STAKEOUT SURVEYOR IS RESPONSIBLE FOR VERIFYING EXISTING SITE CONDITIONS AND NOTING ANY DISCREPANCIES BETWEEN SITE FIELD CONDITIONS AND STAKING PLAN PRIOR TO CONSTRUCTION. SHOULD ANY DISCREPANCIES EXIST, CONTRACTOR'S SURVEYOR SHALL NOTIFY OWNER IN WRITING PRIOR TO COMMENCEMENT OF WORK. TOWNSHIP AND CONSULTANT TEAM ASSUME NO RESPONSIBILITY FOR WORK PERFORMED PRIOR TO FIELD VERIFICATION OF STAKING PLAN.
- 12. THIS PLAN IS A REPRESENTATION OF DESIGN INTENT ONLY AND AS SUCH DENOTES VERTICAL AND HORIZONTAL RELATIONSHIPS, MATERIALS AND FINISHES. CONTRACTOR SHALL SUBMIT TO THE LANDSCAPE ARCHITECT SHOP DRAWINGS INDICATING STRUCTURAL DESIGN, AS WELL AS PLANS AND ELEVATIONS, APPROPRIATE TO ENSURE DESIGN INTENT IS MET.
- 13. CONTRACTOR SHALL TAKE CARE TO PROTECT FROM CONSTRUCTION ALL EXISTING TREES, STRUCTURES UNDER/ABOVE GROUND SURFACE THAT ARE TO REMAIN. ANY DAMAGE DONE TO THESE DURING CONSTRUCTION MUST BE REPLACED AT CONTRACTOR'S OWN COST WITHIN THE CONSTRUCTION PERIOD.
- 14. CONTRACTOR SHALL OBTAIN ALL PERMITS NECESSARY FOR CONSTRUCTION FROM THE APPROPRIATE LOCAL, STATE AND FEDERAL AGENCIES.
- 15. CONTRACTOR SHALL LEAVE THE SITE EACH DAY IN AN ORDERLY FASHION AND SHOULD REMOVE ALL LITTER, REFUSE, DEBRIS AND HAZARDOUS MATERIALS FROM THE SITE DAILY. IN COMPLIANCE WITH APPROPRIATE LOCAL, STATE. AND FEDERAL REGULATIONS. CONTRACTOR SHALL TAKE MEASURES TO LIMIT THE AMOUNT OF SOIL LEAVING THE SITE ON EQUIPMENT. ANY DEBRIS ON ROAD SURFACES OR SIDEWALK SHOULD BE CLEANED DAILY.
- 16. IF APPLICABLE, THE CONTRACTOR MUST PROVIDE A PORTABLE RESTROOM UNIT FOR THE DURATION OF THE PROJECT IN A LOCATION APPROVED BY THE OWNER.
- 17. CONTRACTOR SHALL BE REQUIRED TO SAFELY SECURE THE SITE THROUGHOUT THE DURATION OF CONSTRUCTION AND FINAL APPROVAL. ALL COSTS ASSOCIATED WITH SECURING THE SITE, INCLUDING TEMPORARY FENCING, SHALL BE INCLUDED IN THE VARIOUS ITEMS ABOVE. ANY DAMAGE OF VANDALISM (SUCH AS FOOTSTEPS/HAND PRINTS IN SIDEWALK, BROKEN AND DAMAGED FURNITURE, ETC.) THAT OCCURS DURING THE CONSTRUCTION PERIOD WILL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND CONSIDERED DUE TO LACK OF SECURED SITE. ALL COSTS ASSOCIATED WITH WORK TO REMEDY THE DAMAGE SHALL BE BORNE BY THE CONTRACTOR.
- 18. ALL DISTURBED SHRUBS, FENCING, SIGNS, MAIL BOXES, DRIVES, ETC. SHALL BE RESTORED TO THEIR ORIGINAL CONDITION AND TO THE SATISFACTION OF THE OWNER. NO SEPARATE PAYMENT SHALL BE MADE FOR THIS RESTORATION, UNLESS SPECIFIED ELSEWHERE.
- 19. ALL STREET LIGHTS AND LIGHT BOLLARDS SHALL TIE INTO TOWNSHIP STREET LIGHT METER.

MATERIALS & LAYOUT NOTES

- 1. ALL CONSTRUCTION SHOWN HEREIN, UNLESS SPECIFICALLY NOTED OTHERWISE, SHALL BE IN ACCORDANCE WITH THE NEW JERSEY DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION 2007 AS AMENDED.
- CONTRACTOR SHALL LAYOUT AND STAKE IN THE FIELD THE ALIGNMENT OF ALL CURBS, PAVEMENTS AND OTHER IMPROVEMENTS FOR REVIEW BY THE OWNER. CONTRACTOR MAY NOT PROCEED WITH CONSTRUCTION OF IMPROVEMENTS UNTIL FINAL APPROVAL OF THE LAYOUT IS GRANTED BY THE OWNER.
- 3. THE CONTRACTOR SHALL VERIFY ALL EXISTING SITE CONDITIONS, BOTH ABOVE AND BELOW THE SURFACE. ANY DISCREPANCIES BETWEEN INFORMATION SHOWN ON THE DRAWINGS AND ACTUAL FIELD CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER IN WRITING. PRIOR TO COMMENCING WORK. DO NOT WILLFULLY PROCEED WITH WORK IF ANY DISCREPANCIES ARE DISCOVERED, OTHERWISE. ALL COSTS ASSOCIATED WITH THIS WORK SHALL BE BORNE BY THE CONTRACTOR.
- CONTRACTOR SHALL BE RESPONSIBLE FOR MAKING HIMSELF FAMILIAR WITH ALL UNDERGROUND UTILITIES AND STRUCTURES. THE CONTRACTOR SHALL TAKE SOLE RESPONSIBILITY FOR ANY COST INCURRED DUE TO DAMAGE OF SAID UTILITIES OR STRUCTURES.
- 5. NO CHANGES SHALL BE MADE TO THE DESIGN OR LAYOUT WITHOUT THE WRITTEN APPROVAL OF THE OWNER. LAYOUT THE WORK AS DIMENSIONED OR STATIONED ON THE PLANS. WRITTEN DIMENSIONS SHALL GOVERN. DO NOT SCALE DISTANCES.
- 6. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE AMERICANS WITH DISABILITIES ACT (ADA).
 - 6.1 ALL CURB RAMPS SHALL BE ADA COMPLIANT.
 - 6.2 SPECIAL CARE SHOULD BE TAKEN TO ENSURE THAT CURB RAMPS ARE NOT LOCATED AT LOW POINTS. PAVEMENT AT THE BASE OF THE CURB RAMP SHALL BE SLOPED HORIZONTALLY AT 1% MINIMUM AWAY FROM THE CURB RAMP AND TOWARDS INLETS. THIS IS TO ENSURE THAT PUDDLING IS AVOIDED AT CURB RAMPS.
 - 6.3 CURB RAMPS AND SIDEWALKS THAT ARE NOT CONSTRUCTED IN COMPLIANCE WITH ADA ACCESSIBILITY REQUIREMENTS INCLUDING MAXIMUM RUNNING SLOPES, MAXIMUM CROSS SLOPES, LANDING AREA LOCATION AND SIZE, DIVERGING SIDEWALK DROP OFF PROTECTION, BLENDED TRANSITIONS, BLENDED TRANSITION RUNNING SLOPES AND CROSS SLOPES, FLARE WIDTHS, GRADE BREAKS AND GRADE BREAK DIRECTIONS, CLEAR SPACE SIZE AND LOCATION, WILL NOT BE ACCEPTED.
 - 6.4 BIDS THAT TAKE ADVANTAGE OF ANY ERRORS AND/OR OMISSIONS IN THE CONTRACT DRAWINGS OR DISCREPANCIES WITH THE SPECIAL PROVISIONS WILL NOT BE ACCEPTED. IN THE EVENT ANY SUCH ERROR, OMISSION, OR DISCREPANCIES ARE DISCOVERED. IMMEDIATELY NOTIFY THE ENGINEER. FAILURE TO NOTIFY THE ENGINEER WILL CONSTITUTE A WAIVER OF ALL CLAIMS FOR MISUNDERSTANDINGS, AMBIGUITIES, OR OTHER SITUATIONS RESULTING FROM THE ERROR, OMISSION, OR DISCREPANCY.
 - 6.5 ALL MINIMUM AND MAXIMUM DIMENSIONS CONTAINED IN THE CONTRACT DRAWINGS ARE ABSOLUTE. ACCEPTANCE WILL NOT BE ISSUED IF ANY NEWLY CONSTRUCTED RAMP DOES NOT COMPLY WITH THE APPROVED DRAWINGS, CONSTRUCTION STANDARDS AND SPECIFICATIONS
 - 6.6 ALTERATIONS TO EXISTING FACILITIES MUST MEET THE ADA REQUIREMENTS TO THE MAXIMUM EXTENT FEASIBLE. FOR ALTERATIONS WHERE IT IS TECHNICALLY INFEASIBLE TO MEET THE ADA REQUIREMENTS, A TECHNICALLY INFEASIBLE DOCUMENT MUST BE SUBMITTED TO THE TOWNSHIP TO DOCUMENT THAT ACCESS HAS BEEN PROVIDED TO THE MAXIMUM EXTENT FEASIBLE. DO NOT BEGIN CONSTRUCTION OF THE CURB RAMP OR DRIVEWAY CROSSING UNTIL APPROVAL OF TECHNICAL INFEASIBLE DOCUMENT IS OBTAINED FROM THE OWNER.
- 7. ALL SITE FURNITURE LOCATIONS SHALL BE APPROVED IN THE FIELD BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- 8. ALL SIDEWALKS SHALL HAVE A RUNNING SLOPE OF NO GREATER THAN 5% AND A CROSS SLOPE NO GREATER THAN 2% (PER ADAAG) UNLESS NOTED OTHERWISE ON GRADING PLAN.
- 9. ALL NEW CURBS AND PAVEMENTS SHALL MEET EXISTING CURBS & PAVEMENTS SMOOTH AND FLUSH.
- 10. NEW CURBS, WALLS, AND PAVEMENTS SHALL BE BUILT TO A SMOOTH EVEN FINISH WITH A CONSISTENT TOP AND PROFILE WITHOUT WAVES OR IRREGULARITIES. ANY WORK NOT MEETING THIS QUALITY STANDARD SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.
- 11. DO NOT WILLFULLY PROCEED WITH CONSTRUCTION AS DESIGNED WHEN OBSTRUCTIONS AND /OR GRADE DIFFERENCES EXISTS THAT MAY NOT HAVE BEEN KNOWN DURING DESIGN. DO NOT PROCEED WITH CONSTRUCTION AND ORDERING MATERIALS WHEN INFORMATION IS INCOMPLETE OR OTHER DISCREPANCIES MAY EXIST. CONTRACTOR SHALL IMMEDIATELY NOTIFY THE TOWNSHIP OF SUCH CONDITIONS. THE CONTRACTOR SHALL ASSUME COMPLETE RESPONSIBILITY FOR ALL NECESSARY REVISIONS DUE TO FAILURE TO GIVE SUCH NOTIFICATION.
- 12. CONTRACTOR IS RESPONSIBLE FOR POWER AND WATER NEEDED DURING CONSTRUCTION.

PLANTING NOTES

- 1. DO NOT WILLFULLY PROCEED WITH PLANTING OPERATIONS AS DESIGNED WHEN IT IS OBVIOUS THAT UNKNOWN OBSTRUCTIONS AND/OR GRADE DIFFERENCES EXIST THAT MAY NOT HAVE BEEN KNOWN DURING THE DESIGN PROCESS. SUCH CONDITIONS SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY FOR ALL NECESSARY REVISIONS DUE TO FAILURE TO GIVE SUCH NOTIFICATION.
- 2. ALL TREES SHALL BE TAGGED BY THE LANDSCAPE ARCHITECT AT A NURSERY SELECTED BY THE CONTRACTOR
- 3. IF CONFLICTS ARISE BETWEEN THE ACTUAL SIZE OF PLANTING AREAS ON THE SITE AND THE DRAWINGS, CONTACT THE LANDSCAPE ARCHITECT FOR RESOLUTION.
- 4. GROUNDCOVERS AND SHRUBS ARE TO BE TRIANGULARLY SPACED UNLESS OTHERWISE INDICATED ON THE DRAWINGS
- 5. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FURNISH PLANT MATERIAL FREE OF PESTS OR PLANT DISEASES. PRE-SELECTED OR "LANDSCAPE ARCHITECT -TAGGED" PLANT MATERIAL MUST BE INSPECTED BY THE CONTRACTOR AND CERTIFIED PEST AND DISEASE FREE. IT IS THE CONTRACTOR'S OBLIGATION TO WARRANTY ALL PLANT MATERIAL PER THE SPECIFICATIONS.
- 6. THE ACTUAL LOCATION OF PLANT MATERIAL MAY VARY DUE TO FIELD CONDITIONS. FINAL PLACEMENT OF PLANT MATERIAL SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT BEFORE PITS ARE DUG. NO PLANTS SHALL BE PUT INTO GROUND BEFORE ROUGH GRADING HAS BEEN FINISHED AND APPROVED BY THE OWNER.
- 7. ALL PLANTS SHALL BE WATERED THOROUGHLY TWICE DURING THE 24-HOUR PERIOD AFTER PLANTING. ALL PLANTS SHALL BE WATERED WEEKLY OR MORE OFTEN DURING THE FIRST GROWING SEASON. THE CONTRACTOR SHALL REFER TO CONTRACT SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
- 8. ANY PLANT DEEMED NOT AVAILABLE BY THE CONTRACTOR SHALL BE NOTED IN THE BID AS A CONDITION OF BID. FAILURE TO QUALIFY AVAILABILITY OF SPECIFIED MATERIAL SHALL MAKE THE CONTRACTOR RESPONSIBLE FOR SUPPLYING ALL MATERIALS AS SPECIFIED.

LEGEND

 \bigcirc

_

0

•

 \Diamond

(+)

 \odot

PROPOSED ELEMENTS

LEMENTS	EXISTING ELE	EMENTS	ABBREV	TATIONS
CONCRETE SIDEWALK	123	CONTOUR	— — E —	— - U.G. ELECTRIC
BRICK PAVERS	× 123.45	SPOT ELEVATION		U.G. FIBER OPTIC
DECORATIVE PAVERS - TYPE 1	*	HYDRANT		U.G. UNKNOWN
DECORATIVE PAVERS - TYPE 2	M	UTILITY VALVE	OH	OVERHEAD WIRES
BENCH		GAS METER		UTILITY POLE
TRASH RECEPTACLE		SIGN		✓ UTILITY POLE GUY W
BIKE RACK		INLET		UTILITY POLE WITH L
BOLLARD	80	EXISTING TREE	*	LIGHT
LIGHT BOLLARD	•	PARKING METER	BC	TOP OF CURB BOTTOM OF CURB TOP OF DROP CURB
STREET LIGHT	B €	TRAFFIC SIGNAL	N.T.S.	NUMBER NOT TO SCALE DETAIL
TREE		MANHOLE (M.H.)	TEMP.	MAXIMUM TEMPORARY TYPICAL
ORNAMENTAL TREE	•	MONITORING WELL	EQ.	REFERENCE EQUAL DIAMETER
GROUNDCOVERS/ GRASSES/ PERENNIALS		FENCE	TW	DRAWING TOP OF WALL BOTTOM OF WALL
LAWN		PROPERTY LINE/ROW LINE	L.P.	HIGH POINT LOW POINT CENTERLINE
	= =	U.G. STORM	LA F.O.C.	LANDSCAPE ARCHITECT FACE OF CURB POINT OF TANGENCY
		U.G. SANITARY	P.C. L	POINT OF CURVATURE LEFT OF STATION LINE RIGHT OF STATION LINE
		U.G. WATER	C.W. S.W.	CONCRETE WALK SLATE WALK PAVED WALK
	— — G — — —	U.G. GAS	B.W. E.O.P.	BRICK WALK EDGE OF PAVEMENT LANDSCAPED AREA
			L.S.A.	LANDSCAPED AREA

TAYLOR & VOSE DEVELOPMENT South Orange, NJ

PRELIMINARY AND FINAL SITE PLAN SUBMISSION

VOSE AVE. APTS. URBAN RENEWAL, L.L.C. 447 Northfield Avenue, Suite 200 West Orange, NJ 07052 Tel 973 731 2791

Landscape Architect



507 Bloomfield Ave., 2nd Floor Montclair, New Jersey 07042 USA COFA #MH000044

www.arterialstreets.com Tel / Fax 973 320 9123 info@arterialstreets.com

NOT FOR CONSTRUCTION

QQ_
David I. Lustberg
New Jersey Licensed Landscape Architect
NJ LLA# AS00851

No.	Date	Remarks
1	08/06/2020	Updated Preliminary & Final Site Plan


O		

NOTES, & SCH	LEGEND EDULE
wn By:	
VH	
ecked By:	
DL	L-001
re:	
07/07/2020	

2 of 10

N/A

02-2020-130



TAYLOR & VOSE

PRELIMINARY AND FINAL SITE PLAN SUBMISSION

VOSE AVE. APTS. URBAN RENEWAL, L.L.C. 447 Northfield Avenue, Suite 200



Montclair, New Jersey 07042 USA


www.arterialstreets.com

NOT FOR CONSTRUCTION

STREETSCAPE PLAN


L-101


3 of 10




VOSE AVE. APTS. URBAN RENEWAL, L.L.C.

| |ES\01-PROJECTS\02-2020-130_TAYLOR AND VOSE\6.0 02-2020-130 CADD\6.7 SHEETS\01 SITE PLAN SUBMISSION\L-103_SECOND FLOO








CONCRETE SIDEWALK

VEHICULAR CONCRETE SCALE: 1-1/2" = 1'

WALLS, OR EVERY 20' O.C. MAX.


BRICK PAVERS SCALE: 1 1/2" = 1'-0"

FIELD.



NOTES:

- 1. BRICK PAVERS SHALL MATCH TOWN STANDARDS IN TYPE, SIZE, AND COLOR.
- 2. NO SEPARATE PAYMENT SHALL BE MADE FOR THE BASE AND THE SUBBASE COURSES UNDER THE BRICK PAVERS. COSTS FOR SAME SHALL BE INCLUDED IN THE BRICK PAVERS PAY ITEM.
- 3. DRAINAGE HOLES THROUGH CONCRETE BASE SHALL BE COVERED WITH FILTER FABRIC AND FILLED WITH DENSE GRADE AGGREGATE. PROVIDE DRAINAGE HOLES AT LOW POINTS OR AS DIRECTED IN THE FIELD.



HAND TIGHT, POLYMERIC SAND SWEPT JOINTS -RECLAIMED COBBLESTONE PAVERS CONCRETE (L-500) FLUSH SIDEWALK — 1" MORTAR SETTING BED - 4" CONCRETE 5" THICK COMPACTED DGA BASE COURSE - COMPACTED SUBGRADE-COMPACT TO 95% MODIFIED PROCTOR COBBLESTONE PAVERS ARE TO BE RECLAIMED

2. NO SEPARATE PAYMENT SHALL BE MADE FOR THE BASE AND THE SUBBASE COURSES UNDER THE

3. DRAINAGE HOLES THROUGH CONCRETE BASE SHALL BE COVERED WITH FILTER FABRIC AND FILLED

WITH DENSE GRADE AGGREGATE. PROVIDE DRAINAGE HOLES AT LOW POINTS OR AS DIRECTED IN THE

BRICK PAVERS. COSTS FOR SAME SHALL BE INCLUDED IN THE BRICK PAVERS PAY ITEM.

SIZE: 4" X 8" X 4"; PATTERN: RUNNING BOND; 5 COURSES

COLOR TO BE GRAY AS SUPPLIED BY STONE FARM OR APPROVED EQUAL

BRICK PAVERS - VEHICULAR

DECORATIVE PAVERS - TYPE 1

1. GRANITE PAVER SIZE AND COLOR T.B.D.

DECORATIVE PAVERS - TYPE 2

TAYLOR & VOSE DEVELOPMENT South Orange, NJ

PRELIMINARY AND FINAL SITE PLAN SUBMISSION

Client: VOSE AVE. APTS. URBAN RENEWAL, L.L.C. 447 Northfield Avenue, Suite 200 West Orange, NJ 07052 Tel 973 731 2791

Landscape Architect

507 Bloomfield Ave., 2nd Floor Montclair, New Jersey 07042 USA COFA #MH000044

www.arterialstreets.com Tel / Fax 973 320 9123 info@arterialstreets.com

NOT FOR CONSTRUCTION

New Jersey Licensed Landscape Architect NJ LLA# AS00851

Issue:

No. Date 08/06/2020 Updated Preliminary & Final Site Plan Set


02-2020-130

CONSTRUCTION DETAILS VH Checked By: L-500 DL 07/07/2020 AS NOTED


7 of 10

SCALE: 1 1/2" = 1'-0"

SCALE: 1 1/2" = 1'-0"



1. CURB RAMPS SHALL BE WHOLLY CONTAINED WITHIN THE MARKED CROSSING, EXCLUDING THE FLARED SIDES. 2. WHENEVER POSSIBLE, CURB RAMP SHALL BE PERPENDICULAR TO THE CURB.



1. CURB RAMPS SHALL BE WHOLLY CONTAINED WITHIN THE MARKED CROSSING, EXCLUDING THE FLARED SIDES.

THERMOPLASTIC CROSSWALK

NOT FOR CONSTRUCTION

TAYLOR & VOSE

DEVELOPMENT

South Orange, NJ

PLAN SUBMISSION

447 Northfield Avenue, Suite 200

arterial

507 Bloomfield Ave., 2nd Floor

COFA #MH000044

Tel / Fax 973 320 9123

info@arterialstreets.com

Montclair, New Jersey 07042 USA

www.arterialstreets.com


West Orange, NJ 07052

Landscape Architect

Tel 973 731 2791

PRELIMINARY AND FINAL SITE


VOSE AVE. APTS. URBAN RENEWAL, L.L.C.



<u>PLAN</u>

ELEVATION

TYPE 2: DS-17.5





POTTED PLANTERS AS MFD BY:


• SIZE: DS-32 & DS-17.5 • FREE-STANDING

POTTED PLANTER

SCALE: 3/16" = 1'







ELEVATION

TYPE 1: DS-32

• LANDSCAPE FORMS - KORNEGAY DESIGN

MODEL: DUNE SERIES LANDSCAPE CONTAINERS

TYPE 1 - STRAIGHT

DETECTABLE WARNING SURFACE SCALE: 3/4" = 1'

── HEX HEAD BOLTS \$ WASHER 8 - PL

DETAIL A FIELD DOT 7 DOME LAYOUT

18.286" 20.571"

NORTH BILLERICA, MA 01862 UAL SF UA TEL: (800) 372. 0519 FAX: (978) 262. 9125 HTTP://ADATILE.COM EMAIL: INFO@ADATILE.COM 10.392 10.392 TYPE: CAST-IN PLACE REPLACEABLE TOP VIEW 20 - EQUAL SPACES 8-BOLT LOCATIONS 15 - EQUAL SPACES TRUNCATED DOME DETECTABLE TOP OF PANEL - 36" TOP OF PANEL - 48" WARNING SYSTEMS \ FRONT VIEW PAVER: TACTILE PAVER MATERIAL: GLASS & CARBON SECTION A-A ELEVATION - 48" COMPOSITE ELEVATION - 36" COLOR: T.B.D. .090 DEG. POINTS .045 HIGH TYP. DIA. TOP OF DOMES SECTION A-A - 48" SECTION A-A - 36" 1.125

27.429"

• • • • • • • • • • • •

1. ALL ADA CURB RAMPS WITH A STRAIGHT CURB TO USE THIS TACTILE PAVER FOR THE DETECTABLE WARNING SURFACE.

TRUNCATED DOME PAVERS AS

APPROVED EQUAL

P.O. BOX 3

MFD. BY: ADA SOLUTIONS, INC. OR

VIEW - B 3 X SIZE


TYPE 2 - RADIAL

33.252 REF. DIM BEFORE CUT

11.280 A 11.280

CURB RAMP TYPE B

SCALE: 3/16" = 1'-0"



HEX HEAD BOLTS & WASHER 8-PL.

LAYOUT

FIELD DOT 13 ON DOME

CUT LINES FOR 10', 15', 20' RADIA

'A' DIMENSION AFTER CUT SEE CHART

'B' DIMENSION AFTER CUT SEE CHART

BOTTOM VIEW

VIEW-E 2 x SIZE

1. ALL ADA CURB RAMPS WITH A RADIAL CURB TO USE THIS TACTILE PAVER FOR THE DETECTABLE WARNING SURFACE.

 Curb
 'A'
 'B'

 Radius
 Dimension
 Dimension

 10'
 2' - 8 \(\frac{8}{2} \)ft,6"
 2' - 2 \(\frac{7}{2} \)ft,6"

 15'
 2' - 3 \(\frac{7}{2} \)ft,6"
 1' - 11 \(\frac{7}{2} \)ft,6"

 20'
 2' - 3 \(\frac{7}{2} \)ft,6"
 1' - 11 \(\frac{15}{2} \)ft,6"

ADA SOLUTIONS, INC.

TEL: (800) 372. 0519

FAX: (978) 262. 9125

HTTP://ADATILE.COM

WARNING SYSTEMS

COLOR: T.B.D.

PAVER: TACTILE PAVER

NORTH BILLERICA, MA 01862

EMAIL: INFO@ADATILE.COM

TYPE: CAST-IN PLACE REPLACEABLE

RADIUS TRUNCATED DOME DETECTABLE

MATERIAL: GLASS & CARBON COMPOSITE

P.O. BOX 3

TRUNCATED DOME PAVERS AS MFD. BY:

SCALE: 3/4" = 1'-0"

New Jersey Licensed Landscape Architect NJ LLA# AS00851

Issue: No. Date

08/06/2020 Updated Preliminary & Final Site Plan Set


CONSTRUCTION DETAILS VH L-501 DL

8 of 10

07/07/2020


AS NOTED

02-2020-130





<u>SECTION</u>

SUBBASE BELOW PAVERS




BENCH - TYPE 1






BENCH - TYPE 3



- BIKE RACK AS MFD BY: MMCITE - LOT (SL100)
- POWDER COATED BLACK
- EMBEDDED MOUNT TO CONCRETE
- FOOTING BELOW BRICK PAVERS







ELEVATION

• FRAME COLOR: MATTE BLACK

SCALE: N.T.S.

BENCH - TYPE 2





Luminaire Detail Scale 1:12 my with PRODUCT APPROVALS HADCO SDK CUST. CONFIDENTIAL:
This drawing is confidential and proprietary to Hadco and may not be reproduced without the express written consent of Hadco. Any use hereof or of any of the information or detail herein shall be for the sole benefit of Hadco. NOTICE:
This drawing is for reference only.
Check for latest revision prior to
 C/C
 PART #
 DESCRIPTION

 .
 C8242P-1
 Villager-LED, 48 LED, T3, Slv/Slv

 04-1290
 SP5844-J
 Classic I Pole, 12', Green
 PSEG HADCO 100 Craftway Drive Littlestown, Pa 17340 Phone 800—937—5483 Fax 717—359—0618 www.signify.com Scotland Road -South Orange, NJ H. Kuhn 1:20 05/14/20 C13817-DWG02

New Jersey Licensed Landscape Architect

TAYLOR & VOSE

DEVELOPMENT

South Orange, NJ

PLAN SUBMISSION

447 Northfield Avenue, Suite 200

arterial

507 Bloomfield Ave., 2nd Floor

COFA #MH000044

Tel / Fax 973 320 9123 info@arterialstreets.com

Montclair, New Jersey 07042 USA

www.arterialstreets.com

West Orange, NJ 07052 Tel 973 731 2791

Landscape Architect

PRELIMINARY AND FINAL SITE

VOSE AVE. APTS. URBAN RENEWAL, L.L.C.

CONSTRUCTION DETAILS L-502 DL

9 of 10

LIGHT BOLLARD AS MFD BY:

<u>SECTION</u>

- LANDSCAPE FORMS ASHBERY PATH LIGHT
- LED, TYPE 4 DISTRIBUTION, 3000 K, DIMMABLE
- POWDER COATED COLOR MATTE BLACK
- SURFACE MOUNT

LIGHT BOLLARD - TYPE C

DECORATIVE LIGHT - TYPE B1 /

• MODEL: ASHBERY AREA LIGHT - 16 FEET, SINGLE LUMINAIRE

OPTIONS: WITH BRACKETS FOR TWO HANGING BASKET

• LED, TYPE 3 DISTRIBUTION, 3000 K, DIMMABLE

PLANTERS & BANNER MATERIALS: CAST ALUMINUM

COLOR: MATTE BLACK

APPROVED EQUAL:

STREET LIGHT - TYPE A

Pole orientation for drawing

purposes only, pour concrete

TRASH RECEPTACLE BIKE RACK

NJ LLA# AS00851

Dave Murphy & Assoc.


REV: A PCN: 20-005
BY: . DATE: .


No. Date 08/06/2020 Updated Preliminary & Final Site Plan Set


NOT FOR CONSTRUCTION


07/07/2020 AS NOTED

02-2020-130










-SYSTEM TO BE INSTALLED PER MANUFACTURER SPECIFICATIONS. RUBBER TREE WELL BY RUBBERWAY INC. WWW.RUBBERWAY.COM -LEAVE A 15" GAP FROM THE TRUNK OF THE TREE, TO USE A TEMPORARY SONO TUBE FORM AND REMOVE ONCE THE RUBBER HAS CURED. LANDSCAPE EDGING CAN ALSO BE USED

- 1. RUBBER TREE WELL SYSTEM SHALL BE PROVIDED BY RUBBERWAY OR APPROVED EQUAL
- 2. TYPE: SINGLE LAYER PREMIUM RUBBER SHRED TREE WELL
- 3. COLOR: MAHOGONY












BONDED RUBBER TREE WELL

SCALE: N.T.S.















TAYLOR & VOSE

DEVELOPMENT

South Orange, NJ

PLAN SUBMISSION

447 Northfield Avenue, Suite 200

arterial

507 Bloomfield Ave., 2nd Floor

COFA #MH000044

Tel / Fax 973 320 9123

info@arterialstreets.com

Montclair, New Jersey 07042 USA

www.arterialstreets.com

West Orange, NJ 07052 Tel 973 731 2791

Landscape Architect

PRELIMINARY AND FINAL SITE

VOSE AVE. APTS. URBAN RENEWAL, L.L.C.

/.	1/)
L.	
\sim	ستنا

David I. Lustberg New Jersey Licensed Landscape Architect NJ LLA# AS00851

Issue:

No. Date 08/06/2020 Updated Preliminary & Final Site Plan Set

CONSTRUCTION DETAILS L-503 DL 07/07/2020

AS NOTED

02-2020-130

10 of 10